MATERIAL SAFETY DATE SHEET

According the European directive 2001/58/CE			Date: January 2017 Rev: 1
1. Identification of the subst Product name: Alkaline batter Company: NEXcell battery co Address: 3F No. 24 PROSPE Tel: +886 3 5783800	ies non-rechargea ., Ltd.	ble	IU TAIWAN
Fax: +886 3 5786645			
2. Composition /Information	on Ingredients:		
Chemical Nature: Mixture			
CAS-No/EINECS NO .: Not ap	plicable	:	
Dangerous ingredients which	•	ned acc. To 99/45/E	EEC and it adaptations
Chemical Name	IAZARDOUS%	CAS No.	TLV(UNITS)
Manganese Dioxide	36-43	1313-13-9	5 mg/m ³
Zinc	13-18	7440-66-6	10 mg ZnO/m ³
Potassium Hydroxide (40%)	4-9	1310-58-3	2 mg/m ³
Graphite, natural	1-4	7782-42-5	2 mg/m^3
Zinc Oxide	<1	1314-13-2	10 mg/m ³
3. Hazards identifications			
General:	The Common kr	own rules for hand	ing of chemicals should be
		t eat drink the prod	•
Physical-Chemical Hazards:	This preparation	•	as dangerous according to
Hazards to man:	LD50-LC50 Mix	ture: LD 50 oral rat	is unknown
	Route of entry - Inhalation: NO		
	Route of entry - Skin: YES		
	Route of entry - Ingestion: NO		
	No health hazard unless battery ruptures. In that event, it		
	may cause bur	ns and irritation.	
Hazards to environment:	Not applicable.		
4. First –aid measures:			
Inhalation:	-	passages. Remo	g, contents may be irritating ove to fresh air. Contac
Skin Contact:	copious amour	nts of clear, tepid wa	 irrigate exposed skin with ater for at least 15 minutes consult a physician.
Eye contact:	Not anticipated.	If battery is leaking	and material contacts eyes

MATERIAL SAFETY DATE SHEET

According the European direct	ctive 2001/58/CE	Date: January 2017 Rev: 1
	flush with copious amounts	of clear, tepid water for 30
	minutes. Contact physician at	once.
Ingestion:	Not anticipated. Rinse the mo	outh and surrounding area with
	·	5 minutes. Consult a physician d to rule out involvement of the
Notes to Physician:	esophagus and other tissues.	
1) The primary acutely toxic ingre	dient is concentrated (40%) p	otassium hydroxide
2) Anticipated potential leakage of		-
3) This MSDS does not include		
ingested.		r den batteries, which ear be
5. Fire-fighting measures		
Suitable extinguishing media:	As appropriate	e for surrounding area.
Exposure hazards from combusti	•	thermal degradation may
		zardous fumes of zinc and
	-	hydrogen gas; caustic vapors
	•	n hydroxide and other toxic
	by-products.	
Personal protective equipments:	Wear full protecti breathing app	ve clothing. Use self contained paratus.
6. Accidental release measures	:	
Personal precautions:	Notify safety personnel of	large spills. Caustic
	Potassium hydroxide ma	ay be released from leaking or
	ruptured batteries. Avo	id eye or skin contact and
	inhalation of vapors. In	ncrease ventilation. Clean-up
	personnel should wear a	ppropriate protective wear.
Environmental precautions:	In the event of battery rup	ture, prevent released material
	for an extension of the inter-	

from entering drains. Methods for cleaning up: In the event of battery rupture, collect all released material in plastic bag for waste disposal. Flush residue with plenty of water. Care for well-Ventilated conditions. Recycle or dispose of the materials in an appropriate way.

7. Handling and storage

Store at room temperature. Avoid mechanical or electrical abuse. Do not short or install incorrectly. Batteries may explode, hydrolyze or vent if disassembled, crushed, recharged or exposed to high temperatures. Install batteries in accordance with equipment instructions. Do

MATERIAL SAFETY DATE SHEET

According the European directive 2001/58/CE

Date: January 2017 Rev: 1

not mix battery systems, such as alkaline and zinc carbon, in the same equipment. Replace all batteries in equipment at the same time. Do not carry batteries loose in pocket or bag. Do not remove battery label.

8. Exposure controls/Personal protection

Exposition/ Technical measures:	General ventilation under normal use conditions.
Eye Protection:	None under normal use conditions. Wear safety glasses
	when handling leaking batteries.
Skin Protection:	None under normal use conditions. Use neoprene,
	rubber or latex gloves when handling leaking batteries.
Respiratory Protection:	None under normal use conditions.
Other:	Keep batteries away from small children.

9. Physical and chemical propertied

Appearance And Odor: N/R		Boiling Point: N/R	Melting Point: N/R
Vapor Pressure (MM Hg/70 F): N/R		Vapor Density (Air=1): N/R	Specific Gravity: N/R
Decomposition	Temperature:	Evaporation Rate And Ref:	Solubility In Water: N/R
UNKNOWN		N/R	
Percent Volatiles By Volume: N/R		Viscosity: N/R	pH: N/R
Corrosion Rate (IPY): UNKNOWN		Auto ignition Temperature:	
		N/R	

10. Stability and Reactivity

Stability: YES Condition to avoid (Stability): Avoid electrical shorting. Materials to avoid: NOT APPLICABLE Hazardous decomposition products: Oxides or fumes of manganese, zinc, potassium hydroxide.

Hazardous Poly Occur: NO Conditions to Avoid (Poly): NOT APPLICABLE

11. Toxicological information

The product is multi component mixture for which no toxicological date exists.

12. Ecological information

In general, no ecological date is available for preparations.

13. Disposal considerations

Waste disposal method: Individual consumers may dispose of spent (used) batteries with

MATERIAL SAFETY DATE SHEET

According the European directive 2001/58/CE

Date: January 2017 Rev: 1

household trash. NEXcell does not recommend that spent batteries be accumulated (quantities of five gallons or more should be disposed of in a secure landfill), if recycling is not possible, the product have to be disposed of in accordance with your local legislation and regulations. Do not incinerate, since batteries may explode at excessive temperatures.

14. Transport Information

Road	(ADR/RID)	: not regulated
Air	(ICAO/IATA)	: not regulated
Sea	(IMDG)	: not regulated

15. Regulatory Information

None

16. Other information

the information on this Material Safety Data Sheet (MSDS) was obtained from current and reputable sources. However, the data is provided without any warranty; expressed or implied, regarding its correctness or accuracy. It is the user's responsibility to assume liability on loss, injury, damage, or expense resulting from improper use of this product. Any previous MSDS of this product mentioned above are hereby replaced with this new document. We urge you to make this information available as appropriate in your organization and to any others with whom you arrange to handle this product.